

KAB SURVEY

When to Use:	Pre: At the beginning of Session 1 Post: At the end of Session 7
Administered by:	Facilitator
Completed by:	Participants
Instructions:	Distribute a copy of this survey to participants at the appropriate time. Instruct participants to either circle “Pre-Session 1” or “Post-Session 7” at the beginning of the survey.

KNOWLEDGE, ATTITUDES, AND BEHAVIOR (KAB) SURVEY

MANY MEN, MANY VOICES

Circle one: Pre-Session 1 or Post-Session 7

In order to learn how well these group sessions are working, we need your help. **All information gathered from this survey is completely confidential and anonymous.** You do not have to give your name or any other identifying information. Your birth day and month will be used only as a code to make sure we have both of your surveys. Thank you for your help in making our program better.

Date: _____ Location: _____ Birthday: _____ / _____
M M D D

Circle the number that describes your reaction to the following:

1. How much do you feel a part of or connected to the black community?

Not at All Very Connected
1 2 3 4 5 6 7 8 9 10

2. How much do you feel a part of or connected to the gay community?

Not at All Very Connected
1 2 3 4 5 6 7 8 9 10

3. How much do you feel a part of or connected to the black gay community in your area?

Not at All Very Connected
1 2 3 4 5 6 7 8 9 10

4. How much do you value yourself as a black gay man?

Not at All To a Great Extent
1 2 3 4 5 6 7 8 9 10

5. How worried are you about getting HIV/AIDS?

Not at All Worried					Very Worried				
1	2	3	4	5	6	7	8	9	10

6. How worried are you about getting an STD (sexually transmitted disease) other than HIV?

Not at All Worried					Very Worried				
1	2	3	4	5	6	7	8	9	10

Please circle the response that states how much you agree or disagree with the following:

7. I know how to get a sexual partner to use a condom if I want him to.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

8. I know how to use a condom correctly so that it doesn't break or slip off during sex.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

8. Having an STD (such as syphilis or gonorrhea) increases the chances of getting HIV from a sexual partner.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

9. Condoms should be used with a man when you are a Top during anal sex.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

10. Condoms should be used with a man when you are a Bottom during anal sex.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

11. I feel confident in my ability to get a new partner to use condoms.

Strongly Disagree	Disagree	Somewhat Disagree	Somewhat Agree	Agree	Strongly Agree
-------------------	----------	-------------------	----------------	-------	----------------

12. In general, I feel I am a part of the black gay community.

Strongly
Disagree

Disagree

Somewhat
Disagree

Somewhat
Agree

Agree

Strongly
Agree

13. Please check the response that best describes your level of confidence to ask your main partner to get tested for STDs regularly (i.e., at least once every 6 months).

I am afraid to ask my main partner to get tested regularly.

I might be able to ask my main partner to get tested regularly.

I have no problem asking my main partner to get tested regularly.

My main partner already gets tested regularly.

I don't have a main partner.

14. Please check the response that best describes your level of confidence to ask your main partner to get tested for HIV regularly (i.e., at least once every 6 months).

I am afraid to ask my main partner to get tested regularly.

I might be able to ask my main partner to get tested regularly.

I have no problem asking my main partner to get tested regularly.

My main partner already gets tested regularly.

I don't have a main partner.

Please indicate which response best describes your plans to do the following:

15. Get tested for STDs on a regular basis (i.e., at least once every 6 months)

- I don't see a need to get tested for STDs.
- I see a need to get tested for STDs, but I am not ready to get tested regularly.
- I am ready to start getting tested for STDs regularly.
- I just started getting tested for STDs.
- I am already getting tested for STDs regularly.

16. Get tested for HIV on a regular basis (i.e., at least once every 6 months)

- I don't see a need to get tested for HIV.
- I see a need to get tested for HIV, but I am not ready to get tested regularly.
- I am ready to start getting tested for HIV regularly.
- I just started getting tested for STDs.
- I am already getting tested for STDs regularly.

17. Use condoms every time I am a Top with any casual partner

- I don't see a need to use condoms every time.
- I see a need to use condoms, but I am not ready to use them every time.
- I am ready to start using condoms every time.
- I have started using condoms every time.
- I have already been using condoms every time.

18. Use condoms every time I am a Top with my main partner

I don't see a need to use condoms every time.

I see a need to use condoms, but I am not ready to use them every time.

I am ready to start using condoms every time.

I have started using condoms every time.

I have already been using condoms every time.

19. Use condoms every time I am a Bottom with any casual partner

I don't see a need to use condoms every time.

I see a need to use condoms, but I am not ready to use them every time.

I am ready to start using condoms every time.

I have started using condoms every time.

I have already been using condoms every time.

20. Use condoms every time I am a Bottom with my main partner

I don't see a need to use condoms every time.

I see a need to use condoms, but I am not ready to use them every time.

I am ready to start using condoms every time.

I have started using condoms every time.

I have already been using condoms every time.